 MACHINERY AND SERVICES	Via Pennea 8 Zona Industriale ASI 03024 CEPRANO (FR) – Italy Phone : + 39 0775 917028 - 918345 + 39 0775 912187 / 912837 Fax : +39 0775 1622113 Email : info@tecno-print.com Web : www.tecno-print.com	 Azienda certificata ISO 9001:2008 
---	---	---

SECOND HAND MACHINERY – REF. 555

Rotogravure 28 R – CERUTTI		
1.	Year of manufacturing	1971 REFURBISHMENT: in 1997 machine was complete refurbished: • Complete printing units dismantling • Sandblasting and epox painting • Mechanical parts replacement • Rolls and bearing replacement • Pneumatic cylinder replacement • Ink pumps replacement • Accessories replacement (see item 18)
2.	Printing units:	No. 8
3.	Web direction:	From right to left
4.	Drying system:	Thermal oil
5.	Web Width:	1250 mm
6.	Web tension range:	5 – 50 Kg.
7.	Print repeat length:	250 – 900 mm
8.	Printing max speed:	250mt/min.
9.	Supply composition:	1. Unwinder 2. Preconditioning calender 3. Web guide 4. Corona treatment 5. Web towing in 6. Printing elements 7. Web towing out 8. Rewinder 9. Accessories 10. Supply completion 11. Systems
10.	Unwinder : • Independent axis: • Reel docking system: • Reel change: • Max reel diameter : • Max reel weight: • Supply includes:	mod. PB 20D 152 mm expending shafts Automatic, both directions Ø 1000 mm 1000 Kg n.2 Aluminium alloy expanding shafts Ø 152
11.	Preconditioning calender	With electrical resistance
12.	Web guide	FIFE
13.	Corona treatment:	SHERMAN mod. GX50R



 MACHINERY AND SERVICES	Via Pennea 8 Zona Industriale ASI 03024 CEPRANO (FR) – Italy Phone : + 39 0775 917028 - 918345 + 39 0775 912187 / 912837 Fax : +39 0775 1622113 Email : info@tecno-print.com Web : www.tecno-print.com	 Azienda certificata ISO 9001:2008 
---	--	---

14.	Web towing IN	Additional counterweight for steady web tension control, positioned between unwinder and first unit
15.	Printing units:	PU 1 :Reversible mod. ES 28 PU 2-7 :non reversible mod. ES28 PU8 :Reversible mod. ES 118 ML2
16.	Web towing out:	Additional counterweight for steady web tension control, positioned between last printing unit and rewinder
17.	Rewinder : • Independent axisrewinder: • Reel docking system: • Reel change: • Max reel diameter : • Max reel weight: • Supply includes:	mod. RB 20D 152 mm expending shafts Automatic, both directions Ø 1000 mm 1000 Kg n.2 Aluminium alloy expending shafts Ø 152
18.	Accessories : • Register control: • Web inspection: • L.E.L. analyser: • Viscosimeter :	Grafokontrol mod. CR 13 FIFE InPrint+Scan-A-WEB NIRA New Celio – Viscolor 2500
19.	Supply includes :	• N.8 ink tanks with pump • N. 10 printing cylinder trolleys • N. 20 complete printing cylinder shafts • N. 8 printing impression rolls Ø 165 mm –WW 1225 mm Brand: Rossini Type: NEOPRESS STAT 80 ShA
20.	Systems:	• Bottom suction system • Air system on the blade
Location : West Europe		
This is a net price , i.e.: it does not include commissioning , transport , assembly or any other kind of costs. The machine is at a stand still. Dry test-run can be arranged for demonstration purposes. The machine is offered on “ as it is / where is “ basis .		

PHOTO GALLERY









Via Pennea 8
Zona Industriale ASI
03024 CEPRANO (FR) – Italy
Phone : + 39 0775 917028 -
918345
+ 39 0775 912187 / 912837
Fax : +39 0775 1622113
Email : info@tecno-print.com
Web : www.tecno-print.com

